

# SC 4"

**SUBMERSIBLE PUMPS**



WELL SUB  
12SC07-8  
17 047 01 24 50  
120 200 R 340 1/2 p.p.  
Q 4-18 GPM  
Made in Italy  
Prod. no. 98307 009






Multistage, centrifugal, submersible pumps for 4" or larger wells with capacities from 5-25 gpm. Pumps may be used in a wide variety of applications including domestic water, wash down and irrigation.

**Construction Characteristics:**

- Multi-stage centrifugal submersible pumps with radial impellers
- Built-in removable floating-disc style check valve
- Technopolymer impeller & diffuser (NORYL®) make pump extremely durable, long-wearing and corrosion-resistant
- Pump casing, shaft and coupling constructed of 304 stainless steel
- Suction interconnector and discharge head constructed of rugged technopolymer
- NORYL® is a registered trademark of General Electric Company
- Motor of a proven design with a history of successful use in the US market
- PSC (Permanent Split Capacitor) Design to help reduce pulsation noise
- Integrated lightning surge protection



**CHECK VALVE**  
Acetalic resin

**DISCHARGE HEAD**  
Technopolymer  
(NORYL®)

# SC 4"

**SUBMERSIBLE PUMPS**








**CABLE GUARD**

**INLET SUCTION**  
**Technopolymer**  
**(NORYL®)**



**PUMP CASING**  
**AISI 304 stainless steel with rolled threads**  
**for increased strength and rigidity**



L-WS-SL-001 Rev. 2/06 (US)

17100 West 118th Terrace  
 Olathe, Kansas 66061  
 913-227-3444

