

ITT

Wastewater

CentriPro

SIMPLEX INDOOR PANEL

S10020N1 Single Phase Control Panel



FEATURES


- High level alarm circuit includes spring loaded through door-mounted silence switch for manual silence of alarm horn.
- Through door mounted alarm test switch insures proper operation of the alarm circuit without the need to open the panel.
- Through door mounted pump run light.
- Top mounted high intensity flashing red light provides 360° visibility.
- Pulsating, corrosion proof alarm horn.
- Color coded wiring, screw type terminals and plug in sockets, insure ease of field servicing.
- Field wiring diagram, panel schematic and installation instructions included.
- Entire unit is UL and CUL listed.



CentriPro is a brand of ITT Corporation.

www.centripro.com

Engineered for life



ITT

CENTRIPRO Wastewater

APPLICATIONS

Superior quality simplex liquid level controller, automatically maintains pump operation. High level alarm warning for a variety of sump, effluent, sewage and water transfer applications. Not for use in damp, outdoor, or weatherproof applications.

SPECIFICATIONS

- **Non-modifiable — No options available.**
- Accepts single or dual power feed.
- Hand-off-automatic (H-O-A) pump selection switch.
- On-off control circuit switch.
- Oversized magnetic contactors.
- Numbered terminal strip-screw type.
- NEMA 1, 30 watt, flashing red light.
- NEMA 1, steel enclosure.
- NEMA 1, alarm horn – 95db.
- Auxiliary alarm contacts.

Single Phase

- Field adjustable for 115 or 230 V, 60 Hz.
- Enclosure: 8.0" H x 8.0" W x 4.0" D.


NOTE: Enclosure dimensions do not include 3" high light.

ADDITIONAL FEATURES

- Panel can be wired for a single power feed for pump and control circuit or the control circuit can be wired to a separate power supply to insure alarm integrity in case of a tripped pump breaker.
- Auxiliary alarm contacts provided for remote alarm connection.
- **Float Switches** – **Note:** Please order float switches separately. We offer several types and models. See the Float Switch bulletin for available options. The type selected determines the quantity needed. The basin depth and panel location determine the required cord length. Contact your distributor or Customer Service for additional information.

PANEL MODEL INFORMATION


| ORDER NUMBER | AMP RANGE |
|--------------|-----------|
| S10020N1 | 0-20 |




ITT

CENTRIPRO Wastewater

SIMPLEX SINGLE PHASE WIRING DIAGRAM – S10020 After October 1, 2003



FOR USE WITH WIDE ANGLE FLOAT SWITCH (ONE FLOAT FOR BOTH ON AND OFF OPERATION).
JUMP TERMINALS (3) AND (4), INSTALL WIDE ANGLE FLOAT TO TERMINALS (1) AND (2).




ITT

Wastewater

S10020N1 COMPONENTS

- | | |
|----------------------------------|---|
| 1. NEMA 1 enclosure | 7. Control power on/off selector switch |
| 2. Flashing alarm light | 8. H-O-A selector switch |
| 3. Alarm horn | 9. Simplex control board |
| 4. Pump run light | 10. Contactor |
| 5. Alarm silence selector switch | 11. Terminal strip |
| 6. Alarm test selector switch | |



CentriPro and the ITT Engineered Blocks Symbol are registered trademarks and tradenames of ITT Corporation.

SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

BCP1 R5 October, 2007

© 2007 ITT Corporation

Engineered for life